

Home Office & Home Studio





Home Office & Studio

Cameras	6-35
Lighting	38-55
Audio and Sound	58-67
Computers and accessories	68-69
Health and Fitness	75-81
iPhone photography accessories	84-99
Camera Lenses	101-121



Disclaimer:

Product names, Images, Logos
are registered and owned by
respective companies

Special Thanks to the following Sponsors:

- Olympus
- Sandmarc
- Sony
- Vanguard
- Withings



Walk All
Over Cancer



Support the Cause
<https://bit.ly/3kmKqgA>



www.macmillan.org.uk



<http://www.cancerresearchuk.org>



<http://www.mariecurie.org.uk>

SONY



A7C

www.sony.com

24 MP Full Frame Sensor
In-Body Image Stabilization
10 FPS Mechanical Shutter
5 Axis In-Body Image Stabilization
Real-time Eye AF and Animal AF
4D Focus
4K HDR Video

SONY



A7S III

www.sony.com

12.1 MP Full Frame Sensor
4K 120P/100P
In-Body Image Stabilization
5 Axis In-Body Image Stabilization
Eye AF and Animal AF
4D Focus
4K HDR Video

SONY



a7R IV

www.sony.com

61 MP Full Frame Sensor
In-Body Image Stabilization
10 FPS Mechanical Shutter
5 Axis In-Body Image Stabilization
Eye AF and Animal AF
4D Focus
4K HDR Video

SONY



a7 III

www.sony.com

24.2 MP Full Frame Sensor
In-Body Image Stabilization
10 FPS Mechanical Shutter
5 Axis In-Body Image Stabilization
Eye AF and Animal AF
4D Focus
4K HDR Video

SONY



Animal Eye AF

24.2 MP Full Frame Sensor
In-Body Image Stabilization
10 FPS Mechanical Shutter
5 Axis In-Body Image Stabilization
Eye AF and Animal AF
4D Focus
4K HDR Video

Taken with Sony A7 III
Sigma 100-400mm



Taken with Sony A7 III
Sigma 100-400mm



Taken with Sony A7 III
Sigma 100-400mm



Taken with Sony A7 III
Sigma 100-400mm



Taken with Sony A7 III
Sigma 100-400mm

SONY



Web Cam Compatible

a6600

www.sony.com

24.2 MP APS-C Sensor
In-Body Image Stabilization
11 FPS Mechanical Shutter
Real-time AF for Humans and Animals
4D Focus
4K HDR Video

SONY



Web Cam Compatible

a6100

www.sony.com

24.2 MP Full Frame Sensor
11 FPS Mechanical Shutter
Real-time AF for Humans and Animals
425 Phase detection points
4D Focus
4K HDR Video

SONY

Taken with Sony A7 III
Sony FE 85mm

A7 III and Sony FE 85mm F1.8



www.sony.com

Eye AF

- 24.2 MP Full Frame Sensor
- 5 Axis In-Body Image Stabilization
- Eye AF and Animal AF
- E Mount



OLYMPUS

BREAK FREE

FROM HEAVY GEAR

Up to half the size,
half the weight*



*In comparison to other brand's interchangeable lens camera systems with comparable focal length lens.

OLYMPUS



E-M1 Mark II

www.olympus.com



Web Cam Compatible

- 20 MP Micro 4/3 Sensor
- In-Body Image Stabilization
- 121 Hybrid AF → On-Chip Phase detection and Contrast AF
- 18 FPS in RAW with Mechanical Shutter
- 60 FPS in RAW with Electronic Shutter
- 4K Video
- Live Bulb Mode
- Dual SD card slot - both UH2 compatible
- 1/8000 Shutter Speed Mechanical

OLYMPUS



E-M5 Mark III

www.olympus.com

- 20 MP Micro 4/3 Sensor
- In-Body Image Stabilization
- 121 Hybrid AF → On-Chip Phase detection and Contrast AF
- 18 FPS in RAW Mechanical Shutter
- 60 FPS in RAW with Electronic Shutter
- 4K Video
- Dual SD card slot - both UH2 compatible
- 1/8000 Shutter Speed Mechanical
- Live Bulb



Taken with Olympus EM-1 II
75-300mm Olympus Lens

NIKON



Z 50

www.nikon.com



Web Cam Compatible

APS-C size 20.9 Mega Pixels

Mirrorless

Tilting Touchscreen

11 FPS

4K Video

NIKON



D 850

www.nikon.com



Web Cam Compatible

FX Full Frame 45 Mega Pixels

4K Video

SnapBridge

NIKON



Z 7 II

www.nikon.com



Web Cam Compatible

Z7 Full Frame Mirrorless

45 Mega Pixels

493 Focus points

9 Fps

4K Video

Dual Card Slots

Eye Detection - Human and Animal

NIKON



Z 6 II

www.nikon.com



Web Cam Compatible

Z6 Full Frame Mirrorless

24 Mega Pixels

273 Focus points

12 Fps

4K Video

Dual Card Slots

Eye Detection - Human and Animal

PANASONIC

DC-SIM



www.panasonic.com



Web Cam Compatible

Full Frame 24.2 Mega
Pixels

9 Fps

4K Video 60p and 50p

L Mount Alliance

PANASONIC

GX9



www.panasonic.com

- **Micro 4/3 Sensor size**
- **20.3 Mega Pixel resolution**
- **Dual Image stabilization**
- **In-body image stabilization**
- **5-axis sensor shift stabilization**
- **9 frames per second**
- **4K Video (25/24 fps)**
- **3 inch Touch screen**
- **Touch Focus and Shoot**
- **Contrast AF and DFD**

PANASONIC

DC-S1RM



www.panasonic.com



Web Cam Compatible

Full Frame 47.3 Mega
Pixels
9 Fps

4K Video 60p and 50p
L Mount Alliance

PANASONIC

TZ90



www.panasonic.com

- **Micro 4/3 Sensor size**
- **20.3 Mega Pixel resolution**
- **Dual Image stabilization**
- **In-body image stabilization**
- **5-axis sensor shift stabilization**
- **9 frames per second**
- **4K Video (25/24 fps)**
- **3 inch Touch screen**
- **Touch Focus and Shoot**
- **Contrast AF and DFD**

Fujifilm

GFX-100S



www.fujifilm.com

Medium Format

102 Mega Pixels

IBIS

4K Video 30p 10-bit colour

Fuji G-Mount

Fujifilm

GFX-50S II



www.fujifilm.com

Medium Format

51 Mega Pixels

IBIS 6.5 Stops

Fuji G-Mount



Walk All
Over Cancer



Support the Cause
<https://bit.ly/3kmKqgA>



www.macmillan.org.uk



<http://www.cancerresearchuk.org>



<http://www.mariecurie.org.uk>

Philips Hue


Lighting



www.philips-hue.com

Philips Hue

Lighting



www.philips-hue.com

Elgato


Key Light



www.elgato.com

Elgato

Key Light



160 premium LEDs output a massive 2800 lumens that you control via the Control Center app.

A silky-smooth opal glass face guarantees balanced, glare-free diffusion. Fully-adjustable metal desk mount keeps your setup streamlined.

www.elgato.com

Elgato

Key Light Air



www.elgato.com

Elgato

Key Light Air



An app-controlled, edge-lit LED panel with a small footprint, Key Light Air provides optimum illumination, flexibility and comfort. Mac. iPhone. Windows. Android.

Wirelessly connect your chosen device to adjust settings from anywhere in your studio, and get instant onscreen feedback.

www.elgato.com

Profoto



C1

www.profoto.com

Smartphone photography



C1 Plus

www.profoto.com

Profoto

C1 and C1 Plus Product Review

FREE

www.misterzeus.com



Smartphone photography



Profoto

SMARTPHONE
PHOTOGRAPHY



Profoto



www.profoto.com

Camera App



- Smart Mode, Classic Mode
- Profoto RAW
- iPhone and Android support

Profoto



B10

www.profoto.com



Profoto

A10

www.profoto.com

Aputure

Amaran 200X



www.aputure.com

Aputure


Amaran 200D



www.aputure.com

Aputure

MC Light



The MC is Aputure's first light to include full Hue, Saturation, & Intensity (HSI) color control.

With 360° of hue and 100 levels of saturation adjustment, you have the power to conveniently reproduce any color, all in the palm of your hand.

www.aputure.com

Aputure

MX Light



Designed with an aircraft aluminum build and SMD LED chips, the MX is the most durable and powerful bicolor LED light that can easily fit into your pocket.

It packs 128 SMD LED bulbs into a credit card-sized panel. With both CRI & TLCI ratings over 95, and a wide 120° beam angle that outputs up to 1,100 lux at 0.5m in Boost Mode.

The MX features a 5-step adjustable controlled color temperature ranging from 2800-6500K.

www.aputure.com

Elinchrom

D-Light RX ONE



- Your perfect starting point from Speedlights
- Delivers twice the power of speedlights
- Small yet robust flash unit
- Compatible with many accessories
- Power range from 100 Ws to 6 Ws
- Short flash durations
- Accurate exposures with consistent colour

www.elinchrom.com

Elinchrom

D-Light RX 4



- For all types of general photography
- Available in 400 Ws
- Robust handle
- Adaptable with larger accessories
- Faster recycling times to work harder
- Compatible with Hi-Sync
- Variable f-stop steps : 1/1, 1/2, 4/10, 1/3, 2/10 or 1/10

www.elinchom.com

SHOWCASE

Photo editing software.



www.skylum.com

Donate to charities

Support animal and human charities

Animal Charities

- [Charity for Guide Dogs](#)
- [Charity for Dogs for the Disabled](#)
- [RSPCA - Animal welfare charity](#)
- [World Wide Fund Charity for Animals - Adopt a Tiger](#)
- [World Wide Fund Charity for Animals - Adopt a Snow Leopard](#)
- [World Wide Fund Charity for Animals - Adopt a Amur Leopard](#)
- [World Wide Fund Charity for Animals - Adopt a Lion](#)
- [World Wide Fund Charity for Animals - Adopt a Jaguar](#)
- [Charity for re-homing pets](#)

Human Charities

- [Cancer Research UK](#)
- [World Vision](#)
- [Water Aid](#)
- [Red Cross](#)
- [UNICEF](#)

SONY



WF-SP800N

www.sony.com

Truly wireless earbuds are specifically designed to keep up with your active lifestyle and get you through the day. They are also IP55 water, sweat and dust proof, meaning you won't have to worry about working up a sweat while wearing them!

SONY



WF-SP800N

www.sony.com

Truly wireless earbuds are specifically designed to keep up with your active lifestyle and get you through the day. They are also IP55 water, sweat and dust proof, meaning you won't have to worry about working up a sweat while wearing them!

SONY



WH-1000XM4

www.sony.com

Behind-the-neck wireless noise cancelling headphones

Wireless noise-cancelling headphones deliver exceptional performance in a timeless design, enhanced by best in class sound quality, for an unrivalled listening experience

SONY



WF-SP800N

www.sony.com

Truly wireless earbuds are specifically designed to keep up with your active lifestyle and get you through the day. They are also IP55 water, sweat and dust proof, meaning you won't have to worry about working up a sweat while wearing them!

SONY



SRS-NB10

www.sony.com

- Experience high quality personal sound
- Full-range speaker unit
- Be heard with Precise Voice Pickup Technology
- Enjoy a lightweight and comfortable design for all-day wearing
- Get up to 20 hours of battery life and an IPX4 splash-proof design

SONY



SRS-NB10

www.sony.com

- Experience high quality personal sound
- Full-range speaker unit
- Be heard with Precise Voice Pickup Technology
- Enjoy a lightweight and comfortable design for all-day wearing
- Get up to 20 hours of battery life and an IPX4 splash-proof design

Elgato

Wave:3



www.elgato.com

Elgato

Wave:3



Wave:3 is a premium microphone and digital mixing solution that fuses plug and play convenience with broadcast-grade circuitry. Never clip again thanks to proprietary anti-distortion technology.

And combine all your audio sources, plus create two independent mixes — one for you, one for your audience — with the Wave Link app.

www.elgato.com

Rode

NT-USB Mini



www.rodete.com

- Great Desktop Microphone
- Headphone feedback real-time
- Rode Connect Software compatible
- Compatible with Microsoft Teams and more

Rode

Wireless Go II



- Wireless Kit - Transmitter and Receiver
- Use Built-in Mic or Lavalier microphone plug-in
- Rode Connect Software compatible

www.rodete.com

Apple


iMac 24" 2021



- New Apple-created Processing Chip & Architecture
- System on Chip (SOC) M1 - CPU, Graphics, RAM
- 4.5K Retina Display
- 500 Nits Display Brightness

Apple

iMac 24" 2021



- 1080p FaceTime HD camera
- 6 Speaker sound system and new Microphones
- Smart Magnet Power cord and built-in Ethernet port
- iMac and iPhone pairing with AirDrop

SONY



Animal Eye AF

24.2 MP Full Frame Sensor
In-Body Image Stabilization
10 FPS Mechanical Shutter
5 Axis In-Body Image Stabilization
Eye AF and Animal AF
4D Focus
4K HDR Video

Taken with Sony A7 III
Sigma 100-400mm

SONY



Animal Eye AF

24.2 MP Full Frame Sensor
In-Body Image Stabilization
10 FPS Mechanical Shutter
5 Axis In-Body Image Stabilization
Eye AF and Animal AF
4D Focus
4K HDR Video

Taken with Sony A7 III
Sigma 100-400mm



www.macmillan.org.uk



<http://www.cancerresearchuk.org>



<http://www.mariecurie.org.uk>


WITHINGS



www.withings.com

Blood Pressure
Electrocardiogram
Digital Stethoscope

WITHINGS



www.withings.com

An easier, better way to take anyone's temperature

Fast, effortless gesture yields a precise temperature measurement, and automatic sync with the dedicated app also allows you to track temperature readings, get reminders, and input related symptoms/medications right on your smartphone. No skin contact required.

WITHINGS




www.withings.com

The world's first analog watch with a built-in electrocardiogram to detect atrial fibrillation

Expertly conceived.
Clinically validated.

WITHINGS

Body Cardio



www.withings.com

- Body Composition Analysis
- Heart Health
- Cardio Vascular Age
- Smart App compatible
- Wi-Fi syn

SAMSUNG

Galaxy Watch Active



www.samsung.com

- Body Composition in real-time
- Blood Pressure
- ECG
- Sleep Monitor
- Wear OS Powered by Samsung

FITBIT

Sense



<http://www.fitbit.com>

- Health Metrics
- Sleep Tracking
- Smartphone Notifications
- Voice Assistant
- Sleep Tracking & Stages
- Female Health

FITBIT

Luxe



<http://www.fitbit.com>

- 24/7 Heart Rate Tracking
- Fitness and Sleep Tracking
- Apps and Notifications
- 4+ Day Battery Life depending on usage
- Call and Text Notification
- Real-time Pace and Distance

OLYMPUS

BREAK FREE

FROM HEAVY GEAR



Up to half the size,
half the weight*

*In comparison to other brand's interchangeable lens camera systems with comparable focal length lens.

Moment



Moment
58mm Lens

Smartphone photography

www.shopmoment.com

Moment

58mm Lens Product Review



www.misterzeus.com



Smartphone photography



SANDMARC

Hybrid Pro Filters



www.sandmarc.com

- Enhance your Still Photography
- Enhance Videography
- Various Filter Thread Sizes

Sandmarc Hybrid Pro Filters



BEFORE



AFTER

SMARTPHONE

PHOTOGRAPHY



Taken with iPhone 11

www.apple.com

Profoto

SMARTPHONE
PHOTOGRAPHY



Taken with iPhone 11
Moment 58mm
Profoto C1
Profoto Camera App





SANDMARC

Next level Smart Phone Photography



www.sandmarc.com

- Enhance Smart Phone Photography
- Enhance Smart Phone Videography
- Compatible Filter system
- Custom case or Lens Clip-on option



www.sandmarc.com

- iPhone 11 compatible
- Telephoto lens
- Wide angle lens
- Anamorphic lens

SANDMARC

Next level Smart Phone Photography



www.sandmarc.com

- Enhance Smart Phone Photography
- Enhance Smart Phone Videography
- Compatible Filter system
- Custom case or Lens Clip-on option

With its oval bokeh, the Anamorphic lens is able to capture more horizontal information, by squeezing the image



www.sandmarc.com

- iPhone 11 compatible
- Wide angle lens
- Anamorphic lens

Rollei

Next level Smart Phone Photography

LUMEN SQUARE

**HANDLICHES
LED-DAUERLICHT
FÜR UNTERWEGS**

www.rollei.com

- Enhance Smart Phone Photography
- Enhance Smart Phone Videography
- Use magnet (included in kit) to attach
- Attach to Trip mounts

Rollei Lumen Square
Profoto C1
Profoto Camera App

Taken with iPhone 11
Moment 58mm





by Sam Stewart

VEO
COLLECTION

Hybrid Pro Filters
THE COLLECTION THAT KNOWS
THE WAY AROUND THE WORLD

OLYMPUS



E-M1X

www.olympus.com

20 MP Micro 4/3 Sensor
In-Body Image Stabilization
121 Hybrid AF → On-Chip Phase detection and Contrast AF
18 FPS in RAW Mechanical Shutter
60 FPS in RAW with Electronic Shutter
High Res Shot in Handheld mode
4K Video
Dual SD card slot - both UH2 compatible
1/8000 Mechanical Shutter speed

TRAVEL SMART, TRAVEL LIGHT, TRAVEL VEO

The VEO Collection includes newly designed tripods, heads and camera bags that are ultra-compact and designed for the travel photographer's lifestyle. An ideal option for photographers looking to maximize portability, without compromising on performance.



VEO²
TRIPODS




VEO
DISCOVER

VEO
TRAVEL



VANGUARD

  @VanguardPhotoUK
www.vanguardworld.co

OLYMPUS



www.olympus.com

- M.Zuiko Digital ED 17mm F1.2 PRO (35mm equivalent: 34mm)
- Superior feathered bokeh at a maximum aperture of F1.2
- Prime lens is ideal for landscape and documentary photography
- Lightweight design which is dustproof and Splashproof
- Freezeproof to -10°C

OLYMPUS



www.olympus.com

- M.Zuiko Digital ED 45mm F1.2 PRO (35mm equivalent: 90mm)
- Allowing shots with pleasing proportions of the human face
- Prime lens is the perfect choice for portraits.
- Outstanding feathered bokeh at a maximum aperture of F1.2

OLYMPUS



Quality

Portable

In-Body Stabilisation

Professional Lenses & Ecosystem

Light

Ease of Use

Taken with Olympus EM-1 II

SAVE the
BIG CATS



SAVE the
BIG CATS



Scientific name: **Panthera tigris**

Status: Endangered

Due to mankind, three of the nine known tiger subspecies are already extinct. A fourth subspecies – the south China tiger is also feared extinct, as it has not been seen in the wild since the 1970's.

The numbers of Tigers have decreased by over 95% in the last 100 years - mainly caused by humans. The biggest threats are poaching (for skin and so called medicine) and habitat destruction.

Tigers used to roam free in Asia, but now only have 7% of their previous habitat available to them. There are less than 3,200 tigers remaining

in the wild today. To sponsor a Big cat, visit the WWF ([click here](#))

Sadly there are more tigers in captivity in the United States than are left in the wild.

Source: **WWF.ORG.UK**

Scientific name: **Panthera tigris**

Status: Endangered

Lions are now also classified as vulnerable. This is because their habitat is being lost to mankind, and agriculture, which in turn reduces the natural prey for lions. Overgrazing by domestic animals also spoils the natural habitat of these magnificent creatures.

The Asiatic Lion (scientific name: *Panthera leo persica*) used to roam freely all the way from Iran to India, but now there are less than 300 left. They now only survive in a sanctuary in northern India.

White lions are critically close to extinction with only 13 reported to be left in the wild.

To sponsor a Lion visit the WWF ([click here](#))

Sponsor Asiatic Lions [here](#)

Sponsor White Lions [here](#)

Less than 13 White Lions left in the wild.

Source: **Whitelions.ORG**

SIGMA



<http://www.sigma-imaging-uk.com/>

- SIGMA 30mm F1.4 DC DN
- Contemporary large-aperture standard lens
- Made for mirrorless cameras
- Micro Four Thirds (Olympus and Panasonic)
- Sony E-mount system
- 60mm equivalent on Micro Four Thirds
- 45 mm equivalent on Sony E mount

TAMRON



<http://www.tamron.com/en/>

- Super Travel zoom (Wide angle to Telephoto)
- 16-300mm F/3.5-6.3 Di II VC PZD MACRO
- Aperture F3.5 to F6.3
- Filter size 67mm
- Weight 540g
- Macro minimum distance of 39cm
- Vibration Compensation (Optical Image Stabilization)
- PZD - Ultrasonic motor for smooth and silent zooming



Taken with Sony A7 III
Sigma 100-400mm
Animal Eye AF

Taken with Sony A7 III
Sony FE 85mm

SONY

FE 85mm



www.sony.com

Eye AF

- Full Frame - Compatible with A7 series
- 85mm F1.8
- Portrait Lens
- E Mount

Taken with Sony A7 III
Sony FE 85mm



SONY

FE 85mm



www.sony.com

Eye AF

- Full Frame - Compatible with A7 series
- 85mm F1.8
- Portrait Lens
- E Mount

Taken with Sony A7 III
Sony FE 85mm



Taken with Sony A7 III
Sony FE 85mm



OLYMPUS

75-300mm



<http://www.olympus.com>

- Telephoto Lens
- Professional Lens
- Equivalent to 150 - 600mm
- F4.8-6.7 II



Taken with Olympus EM-1 II
75-300mm

Taken with Olympus EM-1 II
Olympus 75-300mm Lens



Donate to charities

Support animal and human charities

Animal Charities

- [Charity for Guide Dogs](#)
- [Charity for Dogs for the Disabled](#)
- [RSPCA - Animal welfare charity](#)
- [World Wide Fund Charity for Animals - Adopt a Tiger](#)
- [World Wide Fund Charity for Animals - Adopt a Snow Leopard](#)
- [World Wide Fund Charity for Animals - Adopt a Amur Leopard](#)
- [World Wide Fund Charity for Animals - Adopt a Lion](#)
- [World Wide Fund Charity for Animals - Adopt a Jaguar](#)
- [Charity for re-homing pets](#)

Human Charities

- [Cancer Research UK](#)
- [World Vision](#)
- [Water Aid](#)
- [Red Cross](#)
- [UNICEF](#)

Disclaimer:

This digital magazine is free for personal use. Images are for personal use. Any resemblance is purely coincidental. The aim is to share information about photography. No responsibility for correctness.

Company names, Product names, Logos, Product images, etc. are all registered trademarks and copyright of respective companies.

Donating to charities is voluntary. There is no affiliation, partnership or link with any of the charities. The aim is to help support charities. You can select any charity you like, or pick from one of the charities listed here or on the website.

